



## Ewon Flexy extension Card - WAN Ethernet

Item number: FLX3101\_00

This extension card enhances Ewon Flexy's connectivity with a single WAN Ethernet port. It is compatible with the Ewon Flexy 10x, 20x series and 205.



*Interchangeable extension card for enhanced connectivity*

### Features and benefits

- ✓ **Build your own Flexy gateway**  
Keep up with the evolution of communication technologies while protecting your investment in the device! The Ewon Flexy extension cards make this gateway highly modular and flexible.



# Ewon Flexy extension Card - WAN Ethernet

## General

Net Width (mm)	22
Net Height (mm)	79
Net Depth (mm)	74
Net Weight (g)	32.5
Packed Width (mm)	102
Packed Height (mm)	30
Packed Depth (mm)	95
Packed Weight (g)	54
Operating Temperature °C Min	-25
Operating Temperature °C Max	+60
Storage Temperature °C Min	-30
Storage Temperature °C Max	+70
Relative Humidity	10 to 95% relative humidity (non-condensing).
Content of Delivery	This product consists of the following components: an electronic extension board inserted in a plastic front plate and packed in an ESD plastic bag sealed with a yellow sticker, legal references in paper version and a cardboard box.
Not Included (in delivery)	Ethernet cable
Housing Materials	Plastic
Packaging Material	Cardboard
Warranty (years)	3

## Identification and Status

Product ID	FLX3101_00
------------	------------



# Ewon Flexy extension Card - WAN Ethernet

## Identification and Status

<b>Model Code</b>	00701
<b>Country of Origin</b>	Belgium
<b>HS Code</b>	8517790000
<b>Export Control Classification Number (ECCN)</b>	5A992.c

## Physical Features

<b>Connectors / Input / Output</b>	1x Ethernet port: 10/100Mbps, Auto sense
------------------------------------	--

## Certifications and Standards

<b>Environment</b>	Temperature - Operating & Storage tested according to: IEC 60068-2-1 Cold test, IEC 60068-2-2 Dry heat test, IEC 60068-2-14 Change of temperature, IEC 60068-2-30 Cyclic damp heat test
<b>Vibration and Shock</b>	Vibration & shocks tested according to: IEC 60068-2-27 Bumps, IEC 60068-2-64 Vibration (broad-band random), IEC 60068-2-6 Vibration (sinusoidal)
<b>WEEE Category</b>	IT and telecommunications equipment
<b>Other Certification</b>	Giteki Japan