

## Anybus Wireless Access Point IP30 with Mesh

Item number: AWB5141

The Anybus Wireless access points provide wireless connectivity at high data rates. Developed for indoor and outdoor industrial settings and with wireless mesh, the Anybus Wireless access points ensure a highly reliable network setup.



*Provides high-speed wireless access for machines in industrial environments.*

### Features and benefits

- ✓ **High throughput**  
Provides high-speed data transfer with concurrent dual-band support (2.4 GHz and 5 GHz), achieving up to 867 Mbit/s + 300 Mbit/s bandwidth for efficient connectivity.
- ✓ **Mesh connectivity**  
Uses Qualcomm<sup>®</sup> Wi-Fi SON Technology for seamless mesh support. Provides self-healing auto-rerouting with multi-hop functionality, allowing up to 8 hops.
- ✓ **Streamlined power & communication**  
Use a single cable for both power and communication with PoE (Power over Ethernet).
- ✓ **Perfect together!**  
Compatible with the Anybus Wireless Bolt and the Anybus Wireless Bridge, enabling you to implement comprehensive wireless infrastructure.
- ✓ **IEEE 802.11ac compatibility**  
Integrates into modern networks with IEEE 802.11ac Wave 2 compliance, while maintaining backward compatibility with 802.11a/b/g/n standards.
- ✓ **Industrial design**  
This DIN-mountable Access Point is suitable for industrial environments with a wide operating temperature and input voltage range.
- ✓ **Enhanced security and redundancy**  
Safeguards your network with a built-in firewall, controlling inbound and outbound traffic. Uses 1:1 NAT and port forwarding for local traffic protection, ensuring robust security and redundancy.



# Anybus Wireless Access Point IP30 with Mesh

## General

Net Weight (g)	660
Packed Weight (g)	660
Operating Temperature °C Min	-40
Operating Temperature °C Max	70
Relative Humidity	5-95
Input Voltage (V)	10 - 60
Mounting	DIN rail mount (bracket included)
Housing Materials	Steel
Packaging Material	Cardboard
Warranty (years)	3 年

## Identification and Status

Product ID	AWB5141
Country of Origin	Taiwan (Province of China)
HS Code	8517699000
Export Control Classification Number (ECCN)	5A992.c

## Wireless Features

Antenna Connector	RP-SMA
Mesh	Qualcomm® Wi-Fi SON Technology

## Certifications and Standards

Protection Class IP	IP30
Environment	EN 55035:2017 EN 61000-4-2:2009 EN 61000-4-3:2006 + A1:2008 + A2:2010 EN 61000-4-4:2012 EN 61000-4-5:2014 + A1:2017 EN 61000-4-6:2014 EN 61000-4-8:2010 EN 61000-4-11:2020 EN 55032:2015 + A11:2020 EN 61000-3-2:2019 EN 61000-3-3:2013 + AMD1:2017 EN 301 489-1 V2.2.3 EN 301 489-17 V3.2.2 (Draft)
WEEE Category	IT and telecommunications equipment



# Anybus Wireless Access Point IP30 with Mesh

## Certifications and Standards

<b>Other Certification</b>	EN 300 328 V2.2.2 EN 301 893 V2.1.1 EN 62368-1:2014 + A11:2017 EN 62311:2020
----------------------------	--