


Anybus ProfiHub B4F02+

Item number: 17420

The ProfiHub B4FO2+ is a cost-effective solution to link PROFIBUS fiber optic to multiple RS 485 segments and vice versa.



Simple network expansion over long distances

Features and benefits

- Fiber optic to multi RS 485 Segments

 Enable network communication over long distances
- Cost-effective solution
 One device for network extension and segmentation
- Point-to-point, bus- and star configurations
 Create a robust network backbone through segmentation and redundancy







General	
Net Width (mm)	167
Net Height (mm)	113
Net Depth (mm)	43
Net Weight (g)	640
Packed Width (mm)	16
Packed Height (mm)	6
Packed Depth (mm)	26
Packed Weight (g)	650
Operating Temperature °C Min	-25
Operating Temperature °C Max	70
Current Consumption Type Value at Vcc Nom (mA)	300 mA
Current Consumption Max value at Vcc nom (mA)	300 mA
Input Voltage (V)	931 VDC
Power Wire Diameter (mm)	< 2.5 mm ²
Warranty (years)	1 Year

Identification and Status	
Product ID	17420
Country of Origin	Netherlands (the)
HS Code	8471800000
Export Control Classification Number (ECCN)	EAR99



Anybus ProfiHub B4F02+



Identification and Status	
Supply Risk Factor ERP	Volume not defined yet
Purchasing Multiple ERP	1
Certifications and Standards	
Protection Class IP	IP20
WEEE Category	IT and telecommunications equipment

