

Link/Activity A 10 1000 Anybus® USB 3.0 B Link/Activity EtherTAP

Anybus EtherTAP 1G

Item number: 513-00021A

The EtherTAP is a mobile monitoring interface that enables the in-depth analysis of PROFINET and EtherNet/IP traffic up to 1Gibt network speed.

Mobile measuring of network traffic information for advanced diagnstics

Features and benefits

Passive diagnostics around the clock

The EtherTAP is deisgned for mobile meaurements on your network at need

Additional network information for further analytics and diagnostics

Get an insight into your network traffic and see into the message jitter, dropped packets, and cycle-times per device

Message recording - but filtered

Message recording is now filtered based on your very own triggers. This customization lets your see messages when you require them.



Anybus EtherTAP 1G



| General | |
|------------------------------|-------------|
| Net Weight (g) | 476 |
| Packed Width (mm) | 18 |
| Packed Height (mm) | 5 |
| Packed Depth (mm) | 24 |
| Packed Weight (g) | 588 |
| Operating Temperature °C Min | 0 |
| Operating Temperature °C Max | 50 |
| Storage Temperature °C Min | -40 |
| Storage Temperature °C Max | 80 |
| Input Voltage (V) | 5V (USB 供电) |
| Housing Materials | Aluminum |
| Packaging Material | Cardboard |
| Warranty (years) | 1 Year |

Identification and Status

| Product ID | 513-00021A |
|--|------------------------|
| Country of Origin | France |
| HS Code | 8471800000 |
| Export Control Classification Number (ECCN) | EAR99 |
| Supply Risk Factor ERP | Volume not defined yet |
| Purchasing Multiple ERP | 50 |



Anybus EtherTAP 1G



Certifications and Standards Protection Class IP IP20 WEEE Category IT and telecommunications equipment

