

Anybus ComBricks Power Module

Item number: 101-230010

The Anybus 6A Power module provides additional power to the ComBricks backplane in case the Head Station is no longer able to power all inserted modules.



The extra power you need to extent your ComBricks installation

Features and benefits

The additional power you need

This module can be used multiple times and work parallel to each other which accumulates to a maximum current of 12A

Back up redundant power

The module can also be used as redundant power for the backplane while the Head Station can read diagnostics live







General	
Net Weight (g)	169
Packed Width (mm)	6
Packed Height (mm)	14
Packed Depth (mm)	20
Packed Weight (g)	245
Operating Temperature °C Min	-20
Operating Temperature °C Max	60
Current Consumption Type Value at Vcc Nom (mA)	60 mA
Power Wire Diameter (mm)	< 2.5 mm ²
Mounting	DIN rail mount (bracket included)
Housing Materials	Plastic
Packaging Material	Cardboard
Warranty (years)	1 Year

Identification and Status

Product ID	101-230010
Country of Origin	Netherlands (the)
HS Code	8471800000
Export Control Classification Number (ECCN)	EAR99
Supply Risk Factor ERP	Volume not defined yet
Purchasing Multiple ERP	1







Certifications and Standards Protection Class IP IP20 WEEE Category IT and telecommunications equipment

