

Anybus ComBricks Head Station 1C

Item number: 101-20011C

The Head Station Type 1C is an enhanced type that contain a ProfiTrace core for monitoring 4 PROFIBUS networks and an advanced web server for permanent remote maintenance of the PROFIBUS installation over Ethernet



The primary element of the ComBricks modular system

Features and benefits

- ✓ **The main power source for all**
The Head Station provides power to all modules through its redundant power supply.
- ✓ **Remote web server access**
Have full data insight into your network measurements such as status of all devices, live lists, statistics, message recordings, PROFIBUS events and more whenever you need it.
- ✓ **Supporting multiple networks**
Repeater modules can be set to 4 network and have integrated scopeware functionalities



Anybus ComBricks Head Station 1C

General	
Net Weight (g)	447
Packed Width (mm)	10
Packed Height (mm)	15
Packed Depth (mm)	20
Packed Weight (g)	697
Operating Temperature °C Min	-20
Operating Temperature °C Max	60
Current Consumption Type Value at Vcc Nom (mA)	73 mA
Current Consumption Max value at Vcc nom (mA)	800 mA
Input Voltage (V)	11...26 VDC
Power Wire Diameter (mm)	< 2.5 mm ²
Mounting	DIN rail mount (bracket included)
Housing Materials	Plastic
Packaging Material	Cardboard
Warranty (years)	1 Year
Identification and Status	
Product ID	101-20011C
Country of Origin	Netherlands (the)
HS Code	8471800000
Export Control Classification Number (ECCN)	EAR99

Anybus ComBricks Head Station 1C



Identification and Status

Supply Risk Factor ERP	Volume not defined yet
Purchasing Multiple ERP	1

Certifications and Standards

Protection Class IP	IP20
WEEE Category	IT and telecommunications equipment