

Anybus ComBricks Head Station 1B

Item number: 101-20011B

The Head Station Type 1B is an enhanced type that contains a ProfiTrace core for monitoring one PROFIBUS network and an advanced web server for permanent remote maintenance of the PROFIBUS installation over Ethernet

	Head Station
	ROYM ETHIC.
	Usen som
	SC CARD
- 14	

The primary element of the ComBricks modular system

Features and benefits

The main power source for all

The Head Station provides power to all modules through its redundant power supply.



Remote web server access

Have full data insight into your network measurements such as status of all devices, live lists, statistics, message recordings, PROFIBUS events and more whenever you need it.



Supporting multiple networks

Repeater modules can be set to 4 network and have integrated scopeware functionalities



Anybus ComBricks Head Station 1B

General			
Net Weight (g)	447		
Packed Width (mm)	10		
Packed Height (mm)	15		
Packed Depth (mm)	20		
Packed Weight (g)	697		
Operating Temperature °C Min	-20		
Operating Temperature °C Max	60		
Current Consumption Type Value at Vcc Nom (mA)	73 mA		
Current Consumption Max value at Vcc nom (mA)	800 mA		
Input Voltage (V)	1126 VDC		
Power Wire Diameter (mm)	< 2.5 mm ²		
Mounting	DIN rail mount (bracket included)		
Housing Materials	Plastic		
Packaging Material	Cardboard		
Warranty (years)	1 Year		
Identification and	d Status		
Product ID	101-20011B		
Country of Origin	Netherlands (the)		
HS Code	8471800000		

HS Code8471800000Export Control Classification
Number (ECCN)EAR99



Anybus ComBricks Head Station 1B

Identification and Status			
Supply Risk Factor ERP	Volume not defined yet		
Purchasing Multiple ERP	1		
Certifications and Standards			
Protection Class IP	IP20		
WEEE Category	IT and telecommunications equipment		

