

Midea Commercial & VRF systems to KNX

Item number: INKNXMID016I000

This Midea application was designed to allow bidirectional control and monitoring of Midea Commercial and VRF systems from a KNX installation. The solution allowed the integration of up to 16 indoor units from a single interface. Please refer to the new product reference for further details.

Features and benefits




Replaced by: IN770AIR00S0000



Midea Commercial & VRF systems to KNX



General	
Net Width (mm)	71
Net Height (mm)	71
Net Depth (mm)	27
Net Weight (g)	80
Packed Width (mm)	12
Packed Height (mm)	7
Packed Depth (mm)	9
Packed Weight (g)	100
Warranty (years)	3 years
Idontification on	
Identification and	น อเลเนร
Product ID	INKNXMID016I000
Product ID	INKNXMID016I000
Product ID Successor	INKNXMID016I000 IN770AIR00SO000_KNX_MID
Product ID Successor Country of Origin	INKNXMID016I000 IN770AIR00SO000_KNX_MID Spain
Product ID Successor Country of Origin HS Code Export Control Classification	INKNXMID016I000 IN770AIR00SO000_KNX_MID Spain 8517620000
Product ID Successor Country of Origin HS Code Export Control Classification Number (ECCN)	INKNXMID016I000 IN770AIR00SO000_KNX_MID Spain 8517620000 EAR99
Product ID Successor Country of Origin HS Code Export Control Classification Number (ECCN) Supply Risk Factor ERP	INKNXMID016I000 IN770AIR00SO000_KNX_MID Spain 8517620000 EAR99 Volume not defined yet 1



Integration example.

