

Fujitsu VRF systems to Modbus TCP/RTU

Item number: INMBSFGL016O000

This Fujitsu application was designed to allow bidirectional control and monitoring of Fujitsu VRF systems from a BMS, SCADA, PLC, or any other device working as a Modbus client. The solution allowed the integration of up to 16 indoor units from a single interface. Please refer to the new product reference for further details.

Features and benefits



Replaced by: IN775FGL00SO000



Fujitsu VRF systems to Modbus TCP/RTU



General	
Net Width (mm)	88
Net Height (mm)	56
Net Depth (mm)	90
Net Weight (g)	236
Packed Width (mm)	14
Packed Height (mm)	8
Packed Depth (mm)	12
Packed Weight (g)	314
Warranty (years)	3 years
Identification and Status	
Identification an	d Status
Identification an Product ID	d Status INMBSFGL0160000
Product ID	INMBSFGL016O000
Product ID Successor	INMBSFGL016O000 IN775FGL00SO000_MBS_FGL
Product ID Successor Country of Origin	INMBSFGL0160000 IN775FGL00S0000_MBS_FGL Spain
Product ID Successor Country of Origin HS Code Export Control Classification	INMBSFGL0160000 IN775FGL00S0000_MBS_FGL Spain 8517620000
Product ID Successor Country of Origin HS Code Export Control Classification Number (ECCN)	INMBSFGL0160000 IN775FGL00S0000_MBS_FGL Spain 8517620000 EAR99
Product ID Successor Country of Origin HS Code Export Control Classification Number (ECCN) Supply Risk Factor ERP	INMBSFGL0160000 IN775FGL00SO000_MBS_FGL Spain 8517620000 EAR99 Volume not defined yet 1

ETIM Classification

EC001604



Use Case



