

Mitsubishi Electric City Multi systems to Modbus TCP/RTU

Item number: INMBSMIT100C000

This Mitsubishi Electric application was designed to allow bidirectional control and monitoring of Mitsubishi Electric City Multi systems from a BMS, SCADA, PLC, or any other device working as a Modbus client. The solution allowed the integration of up to 100 groups from a single interface. Please refer to the new product reference for further details.



Replaced by: IN770AIR00MO000

Features and benefits



Mitsubishi Electric City Multi systems to Modbus TCP/RTU



| General | |
|--------------------|---------|
| Net Width (mm) | 88 |
| Net Height (mm) | 56 |
| Net Depth (mm) | 90 |
| Net Weight (g) | 240 |
| Packed Width (mm) | 14 |
| Packed Height (mm) | 8 |
| Packed Depth (mm) | 13 |
| Packed Weight (g) | 300 |
| Warranty (years) | 3 years |

| ı | _ [| | 1 . 0 | | reservation in | | |
|---|--------|-----|---------------|------|----------------|-------|--------|
| | \cap | ıρr | $1 \pm 1 \pm$ | ורא: | tınr | n and | Status |
| | u | וטו | IUI | าบน | uui | ıanu | utatus |

| Product ID | INMBSMIT100C000 | |
|---|-------------------------|--|
| Successor | IN770AIR00MO000_MBS_MIT | |
| Country of Origin | Spain | |
| HS Code | 8517620000 | |
| Export Control Classification Number (ECCN) | EAR99 | |
| Supply Risk Factor ERP | Volume not defined yet | |
| Purchasing Multiple ERP | nasing Multiple ERP 1 | |

Certifications and Standards



Mitsubishi Electric City Multi systems to Modbus TCP/RTU



Use Case



