

Hisense VRF systems to Modbus TCP/RTU

Item number: INMBSHIS0640000

This Hisense application was designed to allow bidirectional control and monitoring of Hisense VRF systems from a BMS, SCADA, PLC, or any other device working as a Modbus client. The solution allowed the integration of up to 64 indoor units from a single interface. Please refer to the new product reference for further details.

Features and benefits



Replaced by: IN770AIR00M0000



Hisense VRF systems to Modbus TCP/RTU



General	
Net Width (mm)	88
Net Height (mm)	56
Net Depth (mm)	90
Net Weight (g)	220
Packed Width (mm)	14
Packed Height (mm)	8
Packed Depth (mm)	12
Packed Weight (g)	290
Warranty (years)	3 years
Identification and Status	
Identification and	d Status
Product ID	a Status Inmeshiso640000
Product ID	INMBSHIS0640000
Product ID Successor	INMBSHIS0640000 IN770AIR00M0000_MBS_HIS
Product ID Successor Country of Origin	INMBSHIS0640000 IN770AIR00M0000_MBS_HIS Spain
Product ID Successor Country of Origin HS Code Export Control Classification	INMBSHIS0640000 IN770AIR00M0000_MBS_HIS Spain 8517620000
Product ID Successor Country of Origin HS Code Export Control Classification Number (ECCN)	INMBSHIS0640000 IN770AIR00M0000_MBS_HIS Spain 8517620000 EAR99
Product IDSuccessorCountry of OriginHS CodeExport Control Classification Number (ECCN)Supply Risk Factor ERP	INMBSHIS0640000 IN770AIR00MO000_MBS_HIS Spain 8517620000 EAR99 Volume not defined yet 1

ETIM Classification


EC001604



Use Case

Hisense





Integration example.

