

Fujitsu VRF systems to KNX

Item number: INKNXFGL016O000

This Fujitsu application was designed to allow bidirectional control and monitoring of Fujitsu VRF systems from a KNX installation. The solution allowed the integration of up to 16 indoor units from a single interface. Please refer to the new product reference for further details.

Features and benefits



Replaced by: IN775FGL00SO000



Fujitsu VRF systems to KNX



General	
Net Width (mm)	45
Net Height (mm)	21
Net Depth (mm)	59
Net Weight (g)	236
Packed Width (mm)	14
Packed Height (mm)	9
Packed Depth (mm)	12
Packed Weight (g)	314
Warranty (years)	3 years
Identification and Status	
Identification an	d Status
Identification an Product ID	d Status INKNXFGL0160000
Product ID	INKNXFGL016O000
Product ID Successor	INKNXFGL016O000 IN775FGL00SO000_KNX_FGL
Product ID Successor Country of Origin	INKNXFGL016O000 IN775FGL00SO000_KNX_FGL Spain
Product ID Successor Country of Origin HS Code Export Control Classification	INKNXFGL0160000 IN775FGL00S0000_KNX_FGL Spain 8517620000
Product ID Successor Country of Origin HS Code Export Control Classification Number (ECCN)	INKNXFGL0160000 IN775FGL00SO000_KNX_FGL Spain 8517620000 EAR99
Product ID Successor Country of Origin HS Code Export Control Classification Number (ECCN) Supply Risk Factor ERP	INKNXFGL016O000 IN775FGL00SO000_KNX_FGL Spain 8517620000 EAR99 Volume not defined yet 1

ETIM Classification

EC001604



Fujitsu VRF systems to KNX

Use Case



