

Hisense VRF systems to Modbus TCP/RTU

Item number: INMBSHIS016O000

This Hisense application was designed to allows bidirectional control and monitoring of Hisense VRF systems from a BMS, SCADA, PLC, or any other device working as a Modbus client. The solution allowed the integration of up to 16 indoor units from a single interface. Please refer to the new product reference for further details.



Replaced by: IN770AIR00S0000

Features and benefits



Hisense VRF systems to Modbus TCP/RTU



General	
Net Width (mm)	88
Net Height (mm)	56
Net Depth (mm)	90
Net Weight (g)	220
Packed Width (mm)	14
Packed Height (mm)	9
Packed Depth (mm)	13
Packed Weight (g)	290
Warranty (years)	3 years

Identification and Status

Product ID	INMBSHIS016O000
Successor	IN770AIR00SO000_MBS_HIS
Country of Origin	Spain
HS Code	8517620000
Export Control Classification Number (ECCN)	EAR99
Supply Risk Factor ERP	Volume not defined yet
Purchasing Multiple ERP	1

Certifications and Standards

ETIM Classification	EC001604
---------------------	----------



Hisense VRF systems to Modbus TCP/RTU



Use Case

Hisense ModBus TCP ModBus TCP SCADA SCADA ModBus TCP SCADA

Integration example.

