

Anybus CompactCom 30 Module BACnet/IP without housing

Item number: AB6327-B

The Anybus CompactCom 30 BACnet/IP without housing is a communication interface that can be embedded into any industrial device or machine to enable communication with BACnet/IP networks. The module version includes connectors to simplify installation, helping you achieve a fast time to market.



Enable communication between industrial devices and BACnet/IP networks

Features and benefits



Anybus CompactCom 30 Module BACnet/IP without housing



Identification and Status	
Product ID	AB6327-B
Successor	AB6712-D
Country of Origin	Sweden
HS Code	8517620000
Export Control Classification Number (ECCN)	3A991.a.2
General	
Net Width (mm)	37
Net Height (mm)	16
Net Depth (mm)	51
Net Weight (g)	18
Packed Weight (g)	18
Operating Temperature °C Min	-40
Operating Temperature °C Max	85
Storage Temperature °C Min	-40
Storage Temperature °C Max	85
Current Consumption Class (CompactCom series)	В
Input Voltage (V)	3.3 VDC, +/- 0.15 VDC
Application Interface	8-bit parallel (30 ns access) UART (max 625kbps)
Isolation	Galvanic Isolation
Content of Delivery	CompactCom M30 module



Anybus CompactCom 30 Module BACnet/IP without housing



General	
Mounting	PCB mounting via a customized CompactFlash connector
Warranty (years)	1
Physical Features	
Connectors / Input / Output	2x RJ45
LED Indicators	Indicates Module Status, Network Status and Link/Activity.
Form Factor	Module without Housing
Certifications and Standards	
Protection Class IP	IP20
UL Information	E214107





Use Case



