

Fujitsu RAC and VRF systems to AC Cloud Control (Wi-Fi) Interface (to CN connector)

Item number: INWFIFGL001I000

The AC Cloud Control device for Fujitsu allowed a complete and natural integration of Fujitsu RAC and VRF systems into the AC Cloud Control system, using a direct connection via the CN port for professional HVAC control and monitoring through a native Android/iOS app or a web dashboard. Please refer to the new product reference for further details.



Replaced by: INWFIFGL001I100

Features and benefits

Fujitsu RAC and VRF systems to AC Cloud Control (Wi-Fi) Interface (to CN connector)



General	
Net Width (mm)	106
Net Height (mm)	58
Net Depth (mm)	90
Net Weight (g)	62
Packed Width (mm)	133
Packed Height (mm)	135
Packed Depth (mm)	35
Packed Weight (g)	173
Operating Temperature °C Min	0
Operating Temperature °C Max	60
Input Voltage (V)	From the AC unit.
Capacity	1 indoor unit.
Installation Conditions	Install this gateway inside the indoor unit or inside a connection box to protect it from electrostatic discharge.
Content of Delivery	Intesis Gateway, Installation Manual.
Mounting	Wall mount
Housing Materials	Plastic
Warranty (years)	3 years
Packaging Material	Cardboard

Identification and Status	
Product ID	INWFIFGL001I000

Fujitsu RAC and VRF systems to AC Cloud Control (Wi-Fi) Interface (to CN connector)



Identification and Status

Successor	INWFIFGL001I100
Country of Origin	Spain
HS Code	8517620000
Export Control Classification Number (ECCN)	EAR99
Supply Risk Factor ERP	Volume not defined yet
Purchasing Multiple ERP	1

Certifications and Standards

ETIM Classification	EC001604
WEEE Category	IT and telecommunications equipment

Fujitsu RAC and VRF systems to AC Cloud Control (Wi-Fi) Interface (to CN connector)



Use Case



Integration example.