



## Anybus CompactCom 30 Module Modbus-TCP

Item number: AB6213-B

The Anybus CompactCom 30 Modbus-TCP is a communication interface that can be embedded into any industrial device or machine to enable communication with Modbus-TCP networks. The module version includes connectors to simplify installation, helping you achieve a fast time to market.



*Enable communication between industrial devices and Modbus-TCP networks*

### Features and benefits



## Identification and Status

Product ID	AB6213-B
Successor	AB6603-D
Country of Origin	Lithuania
HS Code	8517620000
Export Control Classification Number (ECCN)	3A991.a.2

## General

Net Width (mm)	50
Net Height (mm)	22
Net Depth (mm)	52
Net Weight (g)	25
Packed Width (mm)	8
Packed Height (mm)	3
Packed Depth (mm)	8
Packed Weight (g)	40
Operating Temperature °C Min	-40
Operating Temperature °C Max	70
Storage Temperature °C Min	-40
Storage Temperature °C Max	85
Current Consumption Class (CompactCom series)	A
Input Voltage (V)	3.3 VDC, +/- 0.15 VDC



## General

<b>Application Interface</b>	8-bit parallel (30 ns access) UART (max 625kbps)
<b>Isolation</b>	Galvanic Isolation
<b>Content of Delivery</b>	CompactCom M30 module
<b>Mounting</b>	PCB mounting via a customized CompactFlash connector
<b>Warranty (years)</b>	1

## Physical Features

<b>Connectors / Input / Output</b>	RJ45
<b>LED Indicators</b>	Indicates Module Status and Network Status.
<b>Form Factor</b>	Brick (pluggable)

## Certifications and Standards

<b>Protection Class IP</b>	IP20
<b>UL Information</b>	E214107