



## Ewon Edge Ethernet

Item number: EDGE-10

Ewon Edge is an industrial gateway designed for industrial players managing large machine fleets. It offers advanced data collection and monitoring capabilities. This robust solution enables secure industrial connectivity and access to machine performance data, empowering businesses to optimize operations and enhance the efficiency of their fleets.

*Industrial gateway for powerful data monitoring and advanced management*

### Features and benefits

- ✓ **Powerful solution for remote data monitoring and remote access**  
Efficiently manage large amounts of users and devices remotely, while meeting your data growth and customization requirements.?
- ✓ **Advanced security from Ewon Edge to Ewon Cloud**  
With ISO 27001 certification and industry-leading access controls, Ewon Edge ensures your communications and systems are secure.
- ✓ **Flexible industrial gateway that adapts to your needs**  
Enhance Ewon Edge's capabilities with up to 4 extension modules that easily plug into the board connector.
- ✓ **Future-proof industrial gateway to keep up with the latest technologies**  
Stay at the cutting edge of technology with regular updates, including 5G or AI, keeping the solution at the forefront of innovation.
- ✓ **Customer-centricity at the core of the solution**  
Ewon Edge will continuously adapt with your inputs and industry advancements, making sure it perfectly matches your needs.
- ✓ **Extended warranty for a durable gateway**  
Built with exceptional quality and designed for lasting performance, Ewon Edge comes with a 5-year warranty for added peace of mind.



# Ewon Edge Ethernet

General	
Net Width (mm)	24.6
Net Height (mm)	119.8
Net Depth (mm)	97.9
Net Weight (g)	151
Packed Width (mm)	178
Packed Height (mm)	39
Packed Depth (mm)	138
Packed Weight (g)	217
Operating Temperature °C Min	-25°C
Operating Temperature °C Max	+60°C
Storage Temperature °C Min	-30°C
Storage Temperature °C Max	+70°C
Relative Humidity	Operating: -25°C to +60°C, 10 to 95% relative humidity (non-condensing). Storage: -30°C to +70°C, 10 to 95% relative humidity (non-condensing).
Input Voltage (V)	12 - 24 Vdc +/-20%, LPS.
Power Connector	8-pole
Configuration	Device configuration through Ewon Cloud or USB
Mounting	DIN rail mount (bracket included)
Housing Materials	Plastic
Warranty (years)	60



# Ewon Edge Ethernet

## General

Packaging Material	Cardboard
PLC Compatibility	Rockwell Automation/Allen Bradley, Siemens, Schneider Electric, Mitsubishi Electric, Vipa, Omron, Hitachi, Keyence, Yokogawa

## Identification and Status

Product ID	EDGE-10
Country of Origin	Belgium
HS Code	8517620000
Export Control Classification Number (ECCN)	5A992.c
Purchasing Multiple ERP	32

## Physical Features

Connectors / Input / Output	2x digital input: 0 to 24 Vdc; 1.5kVdc isolation. 1x relay output: max 500mA; 1.5kVdc isolation
WAN Specification	4 x RJ45 Ethernet 10/100/1000 Mbps. 3 LAN ports and 1 WAN port.
LAN Specification	4 x RJ45 Ethernet 10/100/1000 Mbps. 3 LAN ports and 1 WAN port.
SD Card Slot	None

## Safety and Security

Safety Standards	The product fulfils the requirement of: EN IEC 62368-1:2020+A11:2020, CSA/UL 62368-1:2019, J62368-1(2023) AS/NZS 62368.1:2022, National standard SASO-IEC 62368-1:2020
------------------	--

## Certifications and Standards

Protection Class IP	IPX0
UL Information	E350576
Mean Time Before Failure (MTBF)	3894500
Other Certification	Japan: This device complies with Japanese regulations. Other: South Korea KC, RCM for Australia and New Zealand.