



Anybus PoE injector 12-57VDC

Item number: AWB4006-B

The Anybus Power over Ethernet Injector (PoE) makes it possible to supply an Anybus product, for example an Anybus WLAN Access point or Anybus Wireless Bolt RJ45, with power through an Ethernet cable.



Power your Anybus device through a single Ethernet cable

Features and benefits

- ✓ **Supports PoE**
Removes the need for an additional power cable.
- ✓ **Industrial grade**
2-port Gigabit High Power injector with a rigid IP30 metal enclosure.
- ✓ **Flexible mounting**
DIN-Rail and Wall Mount Design

Anybus PoE injector 12-57VDC



General

| | |
|------------------------------|---------------|
| Net Weight (g) | 500 |
| Packed Width (mm) | 15 |
| Packed Height (mm) | 5 |
| Packed Depth (mm) | 20 |
| Packed Weight (g) | 515 |
| Operating Temperature °C Min | -20°C |
| Operating Temperature °C Max | 70°C |
| Storage Temperature °C Min | -40°C |
| Storage Temperature °C Max | 80°C |
| Input Voltage (V) | 12-57 VDC |
| Output Voltage | 50 VDC |
| Power Connector | Other |
| Housing Materials | Metal Housing |
| Packaging Material | Cardboard |
| Warranty (years) | 3 years |

Identification and Status

| | |
|---|----------------------------|
| Product ID | AWB4006-B |
| Country of Origin | Taiwan (Province of China) |
| HS Code | 8517620000 |
| Export Control Classification Number (ECCN) | 5A992.c |



Certifications and Standards

| | |
|---------------------|------|
| Protection Class IP | IP30 |
|---------------------|------|