

Midea Commercial & VRF systems to KNX

Item number: INKNXMID064I000

This Midea application was designed to allow bidirectional control and monitoring of Midea Commercial and VRF systems from a KNX installation. The solution allowed the integration of up to 64 indoor units from a single interface. Please refer to the new product reference for further details.

Features and benefits



Replaced by: IN770AIR00M0000



Midea Commercial & VRF systems to KNX




General	
Net Width (mm)	71
Net Height (mm)	71
Net Depth (mm)	27
Net Weight (g)	80
Packed Width (mm)	12
Packed Height (mm)	6
Packed Depth (mm)	9
Packed Weight (g)	100
Warranty (years)	3 years
Identification and Status	
Identification and	d Status
Identification and Product ID	d Status INKNXMID0641000
Product ID	INKNXMID064I000
Product ID Successor	INKNXMID064I000 IN770AIR00MO000_KNX_MID
Product ID Successor Country of Origin	INKNXMID064I000 IN770AIR00MO000_KNX_MID Spain
Product ID Successor Country of Origin HS Code	INKNXMID0641000 IN770AIR00MO000_KNX_MID Spain 8517620000
Product ID Successor Country of Origin HS Code Dual Usage Export Control Classification	INKNXMID064I000 IN770AIR00MO000_KNX_MID Spain 8517620000 No EAR99
Product ID Successor Country of Origin HS Code Dual Usage Export Control Classification Number (ECCN)	INKNXMID064I000 IN770AIR00MO000_KNX_MID Spain 8517620000 No EAR99

Certifications and Standards

ETIM Classification

EC001604





Integration example.

