

Midea Commercial & VRF systems to Modbus TCP/RTU

Item number: INMBSMID032I000

This Midea application was designed to allow bidirectional control and monitoring of Midea Commercial and VRF systems from a BMS, SCADA, PLC, or any other device working as a Modbus client. The solution allowed the integration of up to 32 indoor units from a single interface. Please refer to the new product reference for further details.



Replaced by: IN770AIR00MO000

Features and benefits

Midea Commercial & VRF systems to Modbus TCP/RTU



General

| | |
|--------------------|---------|
| Net Width (mm) | 106 |
| Net Height (mm) | 58 |
| Net Depth (mm) | 90 |
| Net Weight (g) | 90 |
| Packed Width (mm) | 15 |
| Packed Height (mm) | 8 |
| Packed Depth (mm) | 10 |
| Packed Weight (g) | 130 |
| Warranty (years) | 3 years |

Identification and Status

| | |
|---|-------------------------|
| Product ID | INMBSMID032I000 |
| Successor | IN770AIR00MO000_MBS_MID |
| Country of Origin | Spain |
| HS Code | 8517620000 |
| Dual Usage | No |
| Export Control Classification Number (ECCN) | EAR99 |

Physical Features

| | |
|------------------|----|
| Contains Battery | No |
|------------------|----|

Certifications and Standards

| | |
|---------------------|----------|
| ETIM Classification | EC001604 |
| UL | Yes |



Use Case



Integration example.