

Fujitsu RAC and VRF systems to Modbus RTU Interface (to CN connector)

Item number: INMBSFGL001I000

This Fujitsu-Modbus interface allowed full bidirectional communication between Fujitsu RAC and VRF systems and Modbus RTU (RS-485) networks. The interface acted as a server device for the installation, accessing all signals from the air conditioner unit. Please refer to the new product reference for further details.



Replaced by: IN485FGL001I000

Features and benefits

Fujitsu RAC and VRF systems to Modbus RTU Interface (to CN connector)



General

Net Width (mm)	53
Net Height (mm)	58
Net Depth (mm)	93
Net Weight (g)	205
Packed Width (mm)	15
Packed Height (mm)	8
Packed Depth (mm)	11
Packed Weight (g)	205
Warranty (years)	3 years

Identification and Status

Product ID	INMBSFGL001I000
Successor	IN485FGL001I000_MBS_FGL
Country of Origin	Spain
HS Code	8517620000
Dual Usage	No
Export Control Classification Number (ECCN)	EAR99

Physical Features

Contains Battery	No
------------------	----

Certifications and Standards

ETIM Classification	EC001604
---------------------	----------

Fujitsu RAC and VRF systems to Modbus RTU Interface (to CN connector)



Use Case

