



Panasonic ECOi, PACi, ECOg / PAC, VRF systems to BACnet IP Server gateway

Item number: INBACPAN128O000

This Panasonic application was designed to allow bidirectional control and monitoring of Panasonic ECOi, PACi, ECOg / PAC, VRF systems from a BMS, SCADA, PLC, or any other device working as a BACnet/IP server or a BACnet MS/TP client. The solution allowed the integration of up to 128 indoor units from a single interface. Please refer to the new product reference for further details.



Replaced by: IN771PAN00LO000

Features and benefits

Panasonic ECOi, PACi, ECOg / PAC, VRF systems to BACnet IP Server gateway



General

Net Width (mm)	53
Net Height (mm)	58
Net Depth (mm)	93
Net Weight (g)	290
Packed Width (mm)	14
Packed Height (mm)	9
Packed Depth (mm)	13
Packed Weight (g)	380
Warranty (years)	3 years

Identification and Status

Product ID	INBACPAN128O000
Successor	IN771AIR00LO000_BAC_PAN
Country of Origin	Spain
HS Code	8517620000
Dual Usage	No
Export Control Classification Number (ECCN)	EAR99

Physical Features

Contains Battery	Yes
------------------	-----

Certifications and Standards

ETIM Classification	EC001604
---------------------	----------

Panasonic ECOi, PACi, ECOg / PAC, VRF systems to BACnet IP Server gateway



Use Case

Panasonic

BACnet 

