

DALI-2 to Modbus TCP & RTU Server

Item number: INMBSDAL0640300

Designed for the integration of any DALI/DALI-2 driver and sensors with a Modbus BMS or any Modbus TCP or Modbus RTU controller. This integration aimed to make DALI devices and their data and resources accessible from a Modbus-based control system or device as if they were a part of the Modbus system. Please refer to the new product reference for further details.



Replaced by: IN703DAL0640000

Features and benefits



DALI-2 to Modbus TCP & RTU Server



| General | |
|--------------------|---------|
| Net Width (mm) | 53 |
| Net Height (mm) | 58 |
| Net Depth (mm) | 93 |
| Net Weight (g) | 380 |
| Packed Width (mm) | 127 |
| Packed Height (mm) | 86 |
| Packed Depth (mm) | 140 |
| Packed Weight (g) | 380 |
| Warranty (years) | 3 years |

Identification and Status

| Product ID | INMBSDAL0640300 |
|---|-------------------------|
| Successor | IN703DAL0640000_MBS_DAL |
| Country of Origin | Spain |
| HS Code | 8517620000 |
| Dual Usage | No |
| Export Control Classification Number (ECCN) | EAR99 |

Physical Features

Contains Battery No


Certifications and Standards

ETIM Classification EC001604





Use Case



Integration of DALI drivers and sensors into a Modbus installation.

