

# Hisense VRF systems to BACnet/IP & MS/TP

Item number: INBACHIS0640000

This Hisense application was designed to allow bidirectional control and monitoring of Hisense VRF systems from a BMS, SCADA, PLC, or any other device working as a BACnet/IP server or a BACnet MS/TP client. The solution allowed the integration of up to 64 indoor units from a single interface. Please refer to the new product reference for further details.



Replaced by: IN770AIR00MO000

#### Features and benefits



## Hisense VRF systems to BACnet/IP & MS/TP



| General            |         |
|--------------------|---------|
| Net Width (mm)     | 88      |
| Net Height (mm)    | 56      |
| Net Depth (mm)     | 90      |
| Net Weight (g)     | 270     |
| Packed Width (mm)  | 13      |
| Packed Height (mm) | 8       |
| Packed Depth (mm)  | 13      |
| Packed Weight (g)  | 380     |
| Warranty (years)   | 3 years |

## Identification and Status

| Product ID                                     | INBACHIS064O000         |
|--|-------------------------|
| Successor                                      | IN770AIR00MO000_BAC_HIS |
| Country of Origin                              | Spain                   |
| HS Code  | 8517620000              |
| Dual Usage                                     | No                      |
| Export Control Classification<br>Number (ECCN) | EAR99                   |

## Physical Features

Contains Battery Ye

### Certifications and Standards

ETIM Classification EC001604





#### Use Case

#### Hisense BACnet BACnet



