



Samsung NASA VRF systems to BACnet/IP & MS/TP

Item number: INBACSAM0080000

This Samsung application was designed to allow bidirectional control and monitoring of Samsung NASA VRF systems from a BMS, SCADA, PLC, or any other device working as a BACnet/IP server or a BACnet MS/TP client. The solution allows the integration of up to 8 indoor units from a single interface. Please refer to the new product reference for further details.

Replaced by: IN770AIR00S0000



Features and benefits

Samsung NASA VRF systems to BACnet/IP & MS/TP



| General | |
|---|-------------------------|
| Net Width (mm) | 88 |
| Net Height (mm) | 56 |
| Net Depth (mm) | 90 |
| Net Weight (g) | 250 |
| Packed Width (mm) | 13 |
| Packed Height (mm) | 9 |
| Packed Depth (mm) | 14 |
| Packed Weight (g) | 320 |
| Warranty (years) | 3 years |
| Identification and Status | |
| Product ID | INBACSAM008O000 |
| Successor | IN770AIR00SO000_BAC_SAM |
| Country of Origin | Spain |
| HS Code | 8517620000 |
| Dual Usage | No |
| Export Control Classification Number (ECCN) | EAR99 |
| Physical Features | |
| Contains Battery | Yes |
| Certifications and Standards | |
| ETIM Classification | EC001604 |



Use Case

SAMSUNG

