



Anybus ComBricks Fiber Optic

Item number: 101-201510

The Anybus PROFIBUS Fiber Optic module is a unique product that allows long cable distances and a galvanic isolation between devices and segments.



Enable easy network expansion over long distances

Features and benefits

✓ **Easy network extension over long distances**

The Fiber Optic module supports a cable length of 3km

✓ **Customizable topology**

The module enables the creation of point-to-point, star and bus topologies



Anybus ComBricks Fiber Optic

General

Net Weight (g)	149
Packed Width (mm)	6
Packed Height (mm)	14
Packed Depth (mm)	20
Packed Weight (g)	220
Operating Temperature °C Min	-20
Operating Temperature °C Max	60
Current Consumption Type Value at Vcc Nom (mA)	360 mA
Current Consumption Max value at Vcc nom (mA)	510 mA
Power Wire Diameter (mm)	< 2.5 mm ²
Mounting	DIN rail mount (bracket included)
Housing Materials	Plastic
Packaging Material	Cardboard
Warranty (years)	1 Year

Identification and Status

Product ID	101-201510
Country of Origin	Netherlands (the)
HS Code	8471800000
Dual Usage	No
Export Control Classification Number (ECCN)	EAR99



Anybus ComBricks Fiber Optic

Physical Features

Contains Battery	No
------------------	----

Certifications and Standards

Protection Class IP	IP20
RoHS Compliant	Yes
CE	Yes
FCC	Yes
UL	Yes
WEEE Category	IT and telecommunications equipment