



Anybus ComBricks Power Module

Item number: 101-230010

The Anybus 6A Power module provides additional power to the ComBricks backplane in case the Head Station is no longer able to power all inserted modules.



The extra power you need to extend your ComBricks installation

Features and benefits

- ✓ **The additional power you need**
This module can be used multiple times and work parallel to each other which accumulates to a maximum current of 12A
- ✓ **Back up redundant power**
The module can also be used as redundant power for the backplane while the Head Station can read diagnostics live



Anybus ComBricks Power Module

General	
Net Weight (g)	169
Packed Width (mm)	6
Packed Height (mm)	14
Packed Depth (mm)	20
Packed Weight (g)	245
Operating Temperature °C Min	-20
Operating Temperature °C Max	60
Current Consumption Type Value at Vcc Nom (mA)	60 mA
Power Wire Diameter (mm)	< 2.5 mm ²
Reverse Polarity Protection	Yes
Mounting	DIN rail mount (bracket included)
Housing Materials	Plastic
Packaging Material	Cardboard
Warranty (years)	1 Year
Identification and Status	
Product ID	101-230010
Country of Origin	Netherlands (the)
HS Code	8471800000
Dual Usage	No
Export Control Classification Number (ECCN)	EAR99



Anybus ComBricks Power Module

Physical Features

Contains Battery	No
------------------	----

Certifications and Standards

Protection Class IP	IP20
RoHS Compliant	Yes
CE	Yes
FCC	Yes
UL	Yes
WEEE Category	IT and telecommunications equipment