

## Anybus Cybersecurity Console - 3 assets

Item number: ABDCC-3

The Anybus Cybersecurity Console (ACC) provides users with a single pane of glass to view and manage as many or as few Anybus Defenders as desired. Fleet management of rules, rulesets, users, user groups, devices, device groups and aliases can be completed simply and quickly by creating collections of configuration options that can be quickly deployed to a system without a loss of production or requiring system downtime.



*Central Plant-Floor Network Security Management*

## Features and benefits

### ✓ Distributed Management

In an industrial network architecture security gateways can be distributed over the plant and different sites. Anybus Cybersecurity Console provides a single console for all Anybus Defender devices.

### ✓ Asset Visibility

The central console retrieves the asset discovery & inventory lists from each Anybus Defender to provide extended insights on what is connected within each security zone and includes device make, model, serial and firmware version where possible. Information is enriched utilising a range of industrial-specific protocols and methodologies.

### ✓ Secure Architecture

The Cybersecurity Console communicates with each Defender via a trusted secure communication channel using SSL/TTS Certification. Devices are quickly added by generating adoption files making the deployment of certificates easy. The central solution provides one overview of licenses and firmware status and serves as a proxy for upgrades and extension packages.

### ✓ Graphical User Interface (GUI)

An easy-to-use modern Web UI interface allows for quick management of devices and groups of devices as well as users. Configurations can be shared over several Defenders or only sent to individual devices. The software allows to monitor the operational and protective states of a network in one central interface in real-time.

### ✓ Backups & Upgrades

Central license information, firmware upgrade management and configuration backup helps secure the operational security environment is up to date.



## Identification and Status

Product ID	ABDCC-3
Country of Origin	United States of America (the)
HS Code	Not Applicable
Dual Usage	No
Export Control Classification Number (ECCN)	5A992.c

## Physical Features

Contains Battery	No
------------------	----



## Use Case

