

Toshiba VRF and Digital systems to AC Cloud Control (Wi-Fi) Interface

Item number: INWFITOS001R000

The AC Cloud Control device for Toshiba allowed a complete and natural integration of VRF and Digital systems into the AC Cloud Control for professional HVAC control and monitoring through a native Android/iOS app or a web dashboard. Please refer to the new product reference for further details.

Replaced by: INWFITOS001R100



Features and benefits

Toshiba VRF and Digital systems to AC Cloud Control (Wi-Fi) Interface



General

Operating Temperature °C Min	0
Operating Temperature °C Max	60
Input Voltage (V)	From the AC unit.
Capacity	21 indoor unit.
Installation Conditions	Install this gateway inside the indoor unit or inside a connection box to protect it from electrostatic discharge.
Content of Delivery	Intesis Gateway, Installation Manual.
Mounting	Wall mount
Housing Materials	Plastic
Packaging Material	Cardboard
Warranty (years)	3 years

Identification and Status

Product ID	INWFITOS001R000
Successor	INWFITOS001R100
Dual Usage	No

Physical Features

Contains Battery	No
------------------	----

Certifications and Standards

ETIM Classification	EC001604
CE	Yes
CB	Yes
UL	Yes
WEEE Category	IT and telecommunications equipment

Toshiba VRF and Digital systems to AC Cloud Control (Wi-Fi) Interface



Use Case

TOSHIBA

AC Cloud Control



Integration example.