

Sixnet® EB-PD-UPS-1 PoE to 14 VDC Splitter

Item number: EB-PD-UPS-1

The Sixnet 2-port PoE splitter powers non-PoE or non-Ethernet devices from your PoE lines. These space-saving, ultra-rugged industrial PoE splitters generate isolated 14 VDC power, and the Ethernet output can be connected to any traditional Ethernet device. One 10/100BaseTX port and one PoE port provide reliable and simplified use.



All the benefits of PoE without needing to upgrade your existing non-PoE Ethernet devices

Features and benefits

✓ Connect and power non-PoE capable equipment
Use the splitter to connect and power your non-PoE
capable 12/14 VDC devices and/or charge a 12 VDC battery
for UPS backup. 14 VDC output.

High performance and speed

Full wire speed communication. Supports up to 15.4 Watts (depending on cable and power sourcing equipment).

✓ LED status monitoring

Green LED indicator light displays when power is present.

Unmanaged plug-and-play simplicity

No complex user settings required. Ready to use right out of the box.

Two ports total for flexibility

One RJ-45 PoE port (data and power in) and one RJ-45 port (data out)

✓ IP30 rated enclosure

Designed to save space and easy to install. Polycarbonate DIN-rail or direct panel mounting enclosure withstands industrial conditions. Dimensions: 4" X 1" X 3.3".

Leading compliance certifications

Full IEEE 802.3 af compliance. Suitable for hazardous environments with UL Class I, Division 2 listing and CE and CSA certifications. Operating temperature of -40 °C to 75 °C.







General	
Net Weight (g)	113.5
Packed Weight (g)	113.5
Operating Temperature °C Min	-40
Operating Temperature °C Max	75
Storage Temperature °C Min	-40
Storage Temperature °C Max	85
Relative Humidity	5% to 95% (non condensing)
Input Voltage (V)	14 VDC, 0.93 Amps
Mounting	DIN rail mount (bracket included)
Housing Materials	Plastic
Packaging Material	Cardboard
Warranty (years)	5

1 .161 .1		
dentification	and	('+0+110
111211111111111111111111111111111111111	ااال	\sim
abilitioalibii	unu	Utatas

Product ID	EB-PD-UPS-1
Country of Origin	Taiwan (Province of China)
HS Code	8517620000
Dual Usage	No

Physical Features

SD Card Slot	No
Flash Drive	No
Contains Battery	No







Certifications an	Certifications and Standards	
Protection Class IP	IP30	
RoHS Compliant	No	
CE	Yes	
FCC	Yes	
UKCA	No	
UL	Yes	
ATEX	Yes	
DNV	No	
КС	No	
Mean Time Before Failure (MTBF)	>1 million	
Vibration and Shock	Shock: IEC60068-2-27; Vibration: IEC60068-2-6	

