

Sixnet[®] EB-5ES Unmanaged 5-port PoE Industrial Switch, ST 4km

Item number: EB-5ES-PSE-2ST

The Sixnet[®] Unmanaged 5-port PoE Industrial Switch is a durable, plug-and-play switch that adds Power over Ethernet capable copper ports along with fiber connectivity. Ideal for security and automation applications that need data and power transfer in a trouble-free package. Four 10/100BaseTX RJ-45 PoE ports and one 100BaseFX multimode 4km fiber port with ST connectors.



5-port unmanaged Ethernet switch with 4 PoE capable copper ports and fiber connectivity

Features and benefits

- ✓ **Simplify network deployment with PoE capability**
A single solution makes it easy to expand your network with PoE capability. Ideal for video, security and control applications.
- ✓ **Multimode fiber port for added connectivity**
One 100BaseFX 4km multimode fiber port with ST connectors.
- ✓ **Compact DIN-rail or direct panel mounting**
Slim and easy to install. Comes in a durable IP30-rated Lexan case for DIN-rail or direct to panel mounting.
- ✓ **LED status monitoring**
LED indicator lights display PoE power, Ethernet link connectivity and power fault status.
- ✓ **Redundant power inputs**
Redundant power inputs with surge, spike and reverse polarity protection. 10-30 VDC with no PoE output; 45-56 VDC for PoE output.
- ✓ **5-port Ethernet switch with 4 PoE outputs**
Five 10/100BaseT(X) RJ-45 ports, including 4 industrial PoE sourcing outputs.
- ✓ **Auto-detection features do the work for you**
Automatic speed, MDIX, duplex and flow control on RJ-45 ports. Auto-negotiates POE-powered device. Over-temperature, over-current detection and over/under-voltage detection.
- ✓ **Suitable for industrial environments**
Durable and high-performing in demanding industrial settings. Ultra-reliable with over 1 million hours MTBF.
- ✓ **Leading certifications for industrial environments**
IEEE 802.3 af compliance. Suitable for hazardous environments with UL Class I, Division 2 listing and CE and CSA certifications. ABS Type approval for shipboard applications. Operating temperature of -40 °C to 75 °C.
- ✓ **Simple setup and installation**
No complex user settings required. Ready to use right out of the box.

Sixnet® EB-5ES Unmanaged 5-port PoE Industrial Switch, ST 4km



General	
Net Weight (g)	226.796
Packed Weight (g)	226.796
Operating Temperature °C Min	-40
Operating Temperature °C Max	75
Storage Temperature °C Min	-40
Storage Temperature °C Max	85
Relative Humidity	5% to 95% (Non Condensing)
Input Voltage (V)	10-30 VDC
Mounting	DIN rail mount (bracket included), Panel mount
Housing Materials	Plastic
Packaging Material	Cardboard
Identification and Status	
Product ID	EB-5ES-PSE-2ST
Country of Origin	Taiwan (Province of China)
HS Code	8517620000
Dual Usage	No
Physical Features	
Connectors / Input / Output	Fiber port with SC or ST style connector
SD Card Slot	No
Flash Drive	No
Contains Battery	No

Sixnet® EB-5ES Unmanaged 5-port PoE Industrial Switch, ST 4km



Certifications and Standards	
RoHS Compliant	Yes
CE	Yes
FCC	Yes
UKCA	No
UL	Yes
ATEX	No
DNV	No
KC	No
Vibration and Shock	IEC60068-2-6, -27 & -32