

Item number: INWFIMHI001I000

The AC Cloud Control device for Mitsubishi Heavy Industries allowed a complete and natural integration of Mitsubishi Heavy Industries domestic units into the AC Cloud Control system for professional HVAC control and monitoring through a native Android/iOS app or a web dashboard. Please refer to the new product reference for further details.



Replaced by: INWFIMHI001I100

Features and benefits





General	
Net Width (mm)	88
Net Height (mm)	56
Net Depth (mm)	90
Net Weight (g)	62
Packed Width (mm)	133
Packed Height (mm)	135
Packed Depth (mm)	35
Packed Weight (g)	173
Operating Temperature °C Min	0
Operating Temperature °C Max	60
Input Voltage (V)	From the AC unit.
Capacity	1 indoor unit.
Installation Conditions	Install this gateway inside the indoor unit or inside a connection box to protect it from electrostatic discharge.
Content of Delivery	Intesis Gateway, Installation Manual.
Mounting	Wall mount
Housing Materials	Plastic
Warranty (years)	3 years
Packaging Material	Cardboard

Identification and Status

Product ID	INWFIMHI001I000





Identification and Status	
Successor	INWFIMHI001I100
Country of Origin	Spain
HS Code	8517620000
Dual Usage	No
Export Control Classification Number (ECCN)	EAR99

Physical Features

Contains Battery

Lei liiicaliulis aliu Staliualus		
	ETIM Classification	EC001604
	CE	Yes
	СВ	Yes

CE	Yes
СВ	Yes
UL	Yes
WEEE Category	IT and telecommunications equipment





Use Case



Integration example.

