

Mitsubishi Heavy Industries FD and VRF to AC Cloud Control (Wi-Fi) Interface

Item number: INWFIMHI001R000

The AC Cloud Control device for Mitsubishi Heavy Industries allowed a complete and natural integration of FD and VRF systems into the AC Cloud Control for professional HVAC control and monitoring through a native Android/iOS app or a web dashboard. Please refer to the new product reference for further details.



Replaced by: INWFIMHI001R100

Features and benefits

Mitsubishi Heavy Industries FD and VRF to AC Cloud Control (Wi-Fi) Interface



General

Operating Temperature °C Min	0
Operating Temperature °C Max	60
Input Voltage (V)	From the AC unit.
Capacity	17 indoor unit.
Installation Conditions	Install this gateway inside the indoor unit or inside a connection box to protect it from electrostatic discharge.
Content of Delivery	Intesis Gateway, Installation Manual.
Mounting	Wall mount
Housing Materials	Plastic
Packaging Material	Cardboard
Warranty (years)	3 years

Identification and Status

Product ID	INWFIMHI001R000
Successor	INWFIMHI001R100
HS Code	8517620000
Dual Usage	No

Physical Features

Contains Battery	No
------------------	----

Certifications and Standards

ETIM Classification	EC001604
CE	Yes
CB	Yes
UL	Yes

Mitsubishi Heavy Industries FD and VRF to AC Cloud Control (Wi-Fi) Interface



Certifications and Standards

WEEE Category	IT and telecommunications equipment
---------------	-------------------------------------

Mitsubishi Heavy Industries FD and VRF to AC Cloud Control (Wi-Fi) Interface



Use Case



AC Cloud Control



Integration example.