

Ixxat INpact ECT Slave PCIe Mini

Item number: 1.01.0340.21100

The Ixxat INpact ECT Slave PCIe Mini is a versatile and efficient solution to connect embedded systems and PCs to EtherCAT networks. This preconfigured EtherCAT variant features a compact PCIe Mini format and is ideally suited for real-time control and automation applications in demanding industrial environments.



Connects computers and embedded systems to industrial EtherCAT networks

Features and benefits

Ideal for demanding requirements

Offers reliable data processing with deterministic real-time behavior, utilizing Anybus CompactCom NP40 technology to ensure efficient communication in complex and timesensitive applications.

PCIe Mini interface

Single-lane (1x) PCI Express interface supports high-speed data transmission, ideal for demanding industrial applications.

Overvoltage protection

Galvanic isolation safeguards against overvoltage and protects from potential electrical damage.

Easy configuration and maintenance

User-friendly configuration tools simplify setup and system updates, making it a flexible solution for long-term use in dynamic environments.

Easy device file implementation

Flexibility to imperent DS402 drive profiles, semi device profiles, and other device profiles.

Compact PCle Mini form factor

With its PCle Mini form factor, this variant is ideal for small devices and mobile applications with limited available space.

Broad application range

Suitable for diverse applications including slave connection to networks, process data visualization, Human-Machine-Interfaces (HMI), data acquisition, and measurement and analysis.

Seamless PC operation under Windows and Linux

Powerful driver packages enable easy integration into PC-based lxxat applications and customer-specific programs.



Ixxat INpact ECT Slave PCIe Mini



| General | |
|----------------------------|---|
| Isolation | 1,500 Vrms |
| Configuration | The Ixxat INpact cards comes with a comprehensive C-API based driver package for Windows and Linux — enabling simple and rapid development of customer-specific applications. Their uniform application programming interface allows for quick protocol switching with minimal programming, enhancing flexibility and reducing development costs. |
| Content of Delivery | Ixxat INpact PC board, user manual, pre-installed firmware, available as free download: Windows, Linux and INtime driver software |
| Not Included (in delivery) | comprehensive and powerful driver and software packages are available as download |
| Packaging Material | Cardboard |

Identification and Status

| Product ID | 1.01.0340.21100 |
|---|-----------------|
| Country of Origin | Sweden |
| HS Code | 8517620000 |
| Dual Usage | No |
| Export Control Classification Number (ECCN) | EAR99 |

Physical Features

| Connectors / Input / Output | 2 x RJ45 connectors via bus interface board, 1 x PCI express single lane port (x1) |
|-----------------------------|--|
| Contains Battery | No |

EtherCAT Features

EtherCAT Supported Functionality

10/100 Mbit Ethernet ports, CANopen over EtherCAT (CoE), support for Modular Device Profile, DS301 compliant, Network Identity customization, EMCY support, up to 57343 ADIs can be accessed from the network as Manufacturer Specific Objects and Device Profile Specific Objects (generic mode), up to 16383 ADIs can be accessed form the network as Manufacturer Specific Objects and Device Profile Specific Objects (modular device profile enabled), up to 1486 bytes of fast cyclic I/O in each direction, EtherCAT Slave Interface file provided by HMS File access over EtherCAT (FoE), support for process data remap from the network, possible to implement DS402 drive profile, semi device profiles, and other device profiles

Certifications and Standards

| ETIM Classification | EC000515 |
|---------------------|----------|
| CE | Yes |



