




## CUB5 Dual Sinking Output Card

Item number: CUB5SNK0

Expand the output capabilities of your CUB5 unit with the Dual Sinking Open Collector Outputs plug-in card. Designed exclusively for CUB5 models, this module provides two independent sinking outputs for versatile control or signaling needs.



### Features and benefits



# CUB5 Dual Sinking Output Card

## General

Net Weight (g)	23
Packed Weight (g)	23
Operating Temperature °C Min	-35
Operating Temperature °C Max	75
Storage Temperature °C Min	-35
Storage Temperature °C Max	85
Relative Humidity	0 to 85% max. relative humidity (non-condensing)
Power Consumption (W)	0
Input Voltage (V)	9-28 VDC
Maximum Installation Altitude (m)	2000
Mounting	Panel mount
Housing Materials	Plastic
Front Sealing	Type 4X/IP65
Back Sealing	IP20
Packaging Material	Cardboard
Warranty (years)	2

## Identification and Status

Product ID	CUB5SNK0
Country of Origin	United States of America (the)
HS Code	8517620000



# CUB5 Dual Sinking Output Card

## Identification and Status

Dual Usage	No
Export Control Classification Number (ECCN)	EAR99

## Physical Features

Connectors / Input / Output	Terminal
SD Card Slot	No
Flash Drive	No
Contains Battery	No

## Display Features

Analog/Digital	Digital
----------------	---------

## Certifications and Standards

Protection Class IP	IP65
Vibration and Shock	Shock: IEC 68-2-27: Operational 30 g; Vibration: IEC 68-2-6: Operational 5-500 Hz, 5 g