



N-Tron® NT24k 24-Port, Dual Redundant VDC Power Input, Rackmount Gigabit Managed Industrial Ethernet Switch

Item number: NT24K-DC2

The N-Tron® NT24k 24-Port, Dual Redundant VDC Power Input, Rackmount Gigabit Managed Industrial Ethernet Switch is one of the easiest to deploy Ethernet switches in the industry. Simplified use, uncompromised performance and multiple configurations to fit your automation and industrial needs. Features has 3 modular expansion slots, a modular rackmount design and two redundant 18-49 VDC power inputs.



Communicate securely across your network with fast performance and versatile connectivity.

Features and benefits

- ✓ **Rugged and durable design**
Operates in extreme temperatures from -40° C to 85° C, has high shock and vibration tolerance, ESD and surge protection. Designed to handle the most demanding environments.
- ✓ **Extensive industry certifications**
With extensive compliance certifications, the switch is ideal for a wide range of industrial applications in factory automation, utilities, SCADA, security surveillance, transportation and more.
- ✓ **Customizable configurations to connect your data**
Up to 24 Gigabit ports with 8-port hot-swappable module option including 10/100/1000BaseT(X) copper, 100Base fiber, 1000Base fiber, Gigabit SFP and dual mode SFP (100Base/1000Base). Modules sold separately.
- ✓ **Reliable connectivity to industrial data**
The N-Tron NT24k managed Ethernet switch connects industrial operations to data reliably and efficiently. It provides an industry-ready way to move data across industrial networks.
- ✓ **Robust security for your network switches**
Protect against unauthorized access with built-in security features: IEEE 802.1X port and user authentication (RADIUS), SNMPv3 communication protocol, SSH/SSL/HTTPS, MAC security and support for event logs and syslogs.
- ✓ **Designed with network redundancy to maximize uptime**
High availability protocols (STP/RSTP/MSTP, N-Ring), VLANs, Quality of Service (QoS), port trunking and mirroring, IGMP and LACP maximize uptime and keep mission critical operations running.
- ✓ **Fast Healing Ring and RSTP/MSTP network redundancy**
Comes with N-Tron's N-Ring™ ~30ms healing technology. Pre-configured N-Ring ports make it easy to add new NT24k-series switches. Reconfigure by changing the ring from "auto-member" to "manager."
- ✓ **Design enhancements to simplify VLAN configuration**
Ease of use enhancements make VLAN configurations easier than ever. The graphical display shows a logical view of the switch, including the VLAN port and tag configuration.
- ✓ **N-View™ monitoring technology**
Monitor multiple N-View™-capable switches from a single window. This Windows-based software reduces downtime by centralizing firmware management, grouping devices and scheduling firmware updates.
- ✓ **Advanced features designed to meet future needs**
With advanced management, performance and security features provided right out of the box, you have tools you need now—and as your network needs grow.



N-Tron® NT24k 24-Port, Dual Redundant VDC Power Input, Rackmount Gigabit Managed Industrial Ethernet Switch



General

Net Weight (g)	0.01
Packed Width (mm)	457.2
Packed Height (mm)	152.4
Packed Depth (mm)	558.8
Packed Weight (g)	6804.01
Power Consumption (W)	3048
Input Voltage (V)	rackmount
Output Voltage	steel
Power Connector	3-pole
Short Circuit Protection	Yes
Isolation	Up to 24x RJ45, up to 24x SC or ST fiber ports, up to 24x LC fiber ports
Housing Materials	Metal Enclosure
Packaging Material	Cardboard
Warranty (years)	3

Identification and Status

Product ID	NT24K-DC2
Country of Origin	United States of America (the)
HS Code	8517620000
Dual Usage	No
Export Control Classification Number (ECCN)	EAR99

N-Tron® NT24k 24-Port, Dual Redundant VDC
Power Input, Rackmount Gigabit Managed
Industrial Ethernet Switch



Physical Features

Contains Battery	No
------------------	----

Wireless Features

Wifi Standards	102
Cellular Standards	102