

## Anybus Wireless Access Point Wi-Fi 6 IP30

#### Item number: AWB5143

The Anybus Wireless access point Wi-Fi IP30 provides wireless connectivity at high data rates. Developed for indoor and outdoor industrial settings and with support for Wi-Fi 6, it ensures a highly reliable network setup.

### Features and benefits

#### High throughput

Provides high-speed data transfer with concurrent dualband support (5 GHz and 2.4 GHz), achieving up to 1200 Mbit/s + 573.5 Mbit/s bandwidth for efficient connectivity.

#### Industrial design

This DIN-mountable Access Point is suitable for industrial environments with a wide operating temperature and input voltage range.



#### Enhanced security and redundancy

Safeguards your network with a built-in firewall, controlling inbound and outbound traffic. Uses 1:1 NAT and port forwarding for local traffic protection, ensuring robust security and redundancy.



Provides high-speed wireless access for machines in industrial environments.

#### IEEE 802.11ax compatibility

Integrates into modern networks with IEEE 802.11ax (Wi-Fi 6) compliance, while maintaining backward compatibility with 802.11a/b/g/n/ac standards.

#### Streamlined power & communication

Use a single cable for both power and communication with PoE support (IEEE 802.3af / 802.3at)



#### Perfect together!

Compatible with the Anybus Wireless Bolt and the Anybus Wireless Bridge, enabling you to implement comprehensive wireless infrastructure.



# Anybus Wireless Access Point Wi-Fi 6 IP30



General	
Net Width (mm)	40
Net Height (mm)	110
Net Depth (mm)	106
Net Weight (g)	660
Packed Weight (g)	660
Operating Temperature °C Min	-40
Operating Temperature °C Max	70
Storage Temperature °C Min	-40
Storage Temperature °C Max	85
Input Voltage (V)	Redundant 9.6-50 VDC terminal connector or PoE IEEE 802.3af / 802.3at
Power Connector	8-pole
Configuration	Built-in web-based configuration tool
Mounting	DIN rail mount (bracket included)
Housing Materials	Steel
Packaging Material	Cardboard
Warranty (years)	3

## Identification and Status

Product ID	AWB5143
Predecessor	AWB5141
Country of Origin	Taiwan (Province of China)



# Anybus Wireless Access Point Wi-Fi 6 IP30



Identification and Status		
HS Code	8517699000	
Dual Usage	No	
Export Control Classification Number (ECCN)	5A992.c	
Physical Feature	S	
WAN Specification	Gigabit Ethernet LAN	
LAN Specification	Gigabit Ethernet LAN	
Contains Battery	No	
Wireless Features		
Antenna Connector	RP-SMA	
Antenna	Included	
Wifi Standards	Wifi 6 Access Points supporting 802.11a/b/g/n/ac/ax Data rates up to 1200 Mbit/sec Support for fast roaming 802.11k/v/r	
Frequencies & Bands	2.4 GHz and 5 GHz	
Certifications and Standards		
Protection Class IP	IP30, IP40	
CE	Yes	
FCC	No	
UL	No	
cUL	No	
Environment	EN 55035:2017 EN 61000-4-2:2009 EN 61000-4-3:2006 + A1:2008 + A2:2010 EN 61000-4-4:2012 EN 61000-4-5:2014 + A1:2017 EN 61000-4-6:2014 EN 61000-4- 8:2010 EN 61000-4-11:2020 EN 55032:2015 + A11:2020 EN 61000-3-2:2019 EN 61000-3-3:2013 + AMD1:2017 EN 301 489-1 V2.2.3 EN 301 489-17 V3.2.2 (Draft)	
WEEE Category	IT and telecommunications equipment	
RED	Yes	

