



Wireless Router 5G

Item number: NV1000

The Wireless Router 5G enables you to create a robust cellular connection in an industrial production environment. The router is prepared to be used with private industrial 5G networks in Europe supporting band 78 (other bands on request).



Enables a robust cellular 5G connection in an industrial production environment

Features and benefits



General

Net Weight (g)	2000
Packed Width (mm)	23
Packed Height (mm)	18
Packed Depth (mm)	31
Packed Weight (g)	2000
Operating Temperature °C Min	-40
Operating Temperature °C Max	70
Storage Temperature °C Min	-40
Storage Temperature °C Max	85
Input Voltage (V)	24 VDC (9.6-57 VDC for both PoE/Non-PoE)
Power Connector	2-pole
Reverse Polarity Protection	Yes
Content of Delivery	Product unit, 4-pin removable terminal block connector, wall mounting kit, 4 x antennas
Mounting	DIN-rail (EN 50022 standard), Wall mount
Housing Materials	Metal Housing

Data Features

Redundancy	ERPSv2 (HW-based CFM), STP/RSTP/MSTP, Port Trunk/LACP
Traffic Management	Flow Control, Rate Control, Port Mirror, CoS, QoS, RFC 2474 DiffServ

Identification and Status

Product ID	NV1000
Country of Origin	Taiwan (Province of China)



Identification and Status

HS Code	8517699000
Dual Usage	No

Physical Features

Connectors / Input / Output	LAN:8x 10/100/1000Base-T RJ45, AutoNegotiation, Auto MDI/MDI-X, with 4x IEEE 802.3af/at PoE/PoE+ WAN:2x 100/1000Base-T RJ45, Auto Negotiation, Auto MDI/MDI-X
WAN Specification	WAN:2x 100/1000Base-T RJ45, Auto Negotiation, Auto MDI/MDI-X
LAN Specification	8x 10/100/1000Base-T RJ45, AutoNegotiation, Auto MDI/MDI-X, with 4x IEEE 802.3af/at PoE/PoE+
Contains Battery	No

Wireless Features

Antenna Connector	SMA
Antenna	Included
Cellular Standards	5G/4G Multi-mode, 3GPP Rel.15, 5G NSA and SA mode, LTE DL Cat 16/UL Cat 18
Frequencies & Bands	5G NR n78, LTE FDD B1/B3/B7/B20, LTE TDD B38/B42/B43, ENDC b1/n78, b3/n78, b7/n78, b20/n78, b38/n78. Other bands available on request.
Wireless Security	IEEE 802.1X/RADIUS, TLS v1.2, HTTPs/SSH, First login password management

Certifications and Standards

Protection Class IP	IP30
Product Certifications	CE
WEEE Category	IT and telecommunications equipment