



Anybus ComBricks Power Module

Item number: 101-230010

The Anybus 6A Power module provides additional power to the ComBricks backplane in case the Head Station is no longer able to power all inserted modules.



The extra power you need to extent your ComBricks installation

Features and benefits



The additonal power you need

This module can be used multiple times and work parallel to each other which accumulates to a maximum current of 12A



Back up redundant power

The module can also be used as redundant power for the backplane while the Head Station can read diagnostics live



Anybus ComBricks Power Module

General	
Net Weight (g)	169
Packed Width (mm)	6
Packed Height (mm)	14
Packed Depth (mm)	20
Packed Weight (g)	245
Operating Temperature °C Min	-20
Operating Temperature °C Max	60
Current Consumption Type Value at Vcc Nom (mA)	60 mA
Power Wire Diameter (mm)	< 2.5 mm ²
Reverse Polarity Protection	Yes
Mounting	DIN rail mount (bracket included)
Housing Materials	Plastic
Packaging Material	Cardboard
Warranty (years)	1 Year
Identification and Status	
Product ID	101-230010
Country of Origin	Sweden
HS Code	8471800000
Dual Usage	No
Physical Features	
Contains Battery	No



Anybus ComBricks Power Module

Certifications and Standards	
Protection Class IP	IP20
RoHS Compliant	Yes
Product Certifications	CE, UKCA, UL, FCC, EMC, RoHS
WEEE Category	IT and telecommunications equipment