

Haier Commercial & VRF systems to KNX Interface

Item number: INKNXHAI008C000

The Haier-KNX gateway allows bidirectional communication between Haier Commercial and VRF systems and KNX installations. This communication brings total control of the AC unit from KNX, including monitoring of the AC unit's internal variables, running hours counter (for filter maintenance control), and error codes.



Haier to KNX - 8 indoor units

Features and benefits

- ✓ **ETS configuration**
The interface is configured using the ETS standard configuration tool software.
- ✓ **Smooth KNX thermostat integration.**
KNX thermostats are allowed to control the AC unit via the thermostat's temperature sensor.
- ✓ **AC unit control by both remote controller and KNX**
The AC unit can be simultaneously controlled by the manufacturer's remote controller and KNX.
- ✓ **Compatible with all KNX thermostats in the market**
All the required DPT objects to be compatible with all KNX thermostats in the market are available.
- ✓ **Total unit control and monitoring from KNX**
Through internal variables, running hours counter (for maintenance purposes), and error indication.
- ✓ **Small footprint**
The interface can be quickly installed inside the AC unit thanks to its reduced dimensions.

Haier Commercial & VRF systems to KNX Interface



General	
Capacity	XS: Up to 8 indoor units
Net Width (mm)	71
Net Height (mm)	71
Net Depth (mm)	27
Net Weight (g)	194
Packed Width (mm)	110
Packed Height (mm)	85
Packed Depth (mm)	90
Packed Weight (g)	356
Operating Temperature °C Min	0°
Operating Temperature °C Max	60°
Storage Temperature °C Min	-40
Storage Temperature °C Max	85
Power Consumption (W)	5.8
Configuration	ETS Database
Installation Conditions	This gateway is designed to be mounted inside an enclosure. If the unit is mounted outside an enclosure, precautions should always be taken to prevent electrostatic discharge to the unit. When working inside an enclosure (e.g., making adjustments, setting switches, etc.), typical anti-static precautions should always be followed before touching the unit.
AC Model Compatibility	Haier VRV systems
Content of Delivery	Intesis gateway and installation manual.
Not Included (in delivery)	Communication cables.

Haier Commercial & VRF systems to KNX Interface




General	
Mounting	Wall mount
Housing Materials	Plastic
Warranty (years)	3 years
Packaging Material	Cardboard
Identification and Status	
Product ID	INKNXHAI008C000
Country of Origin	Spain
HS Code	8517620000
Dual Usage	No
Physical Features	
LED Indicators	Gateway and communication status.
Contains Battery	No
Certifications and Standards	
Product Certifications	CE, CB, UKPSTI, KNX
WEEE Category	IT and telecommunications equipment



Use Case

Haier

KNX



Integration example.