



Panasonic ECOi, PACi, ECOg / PAC, VRF systems to BACnet IP Server gateway

Item number: INBACPAN128O000

This Panasonic application was designed to allow bidirectional control and monitoring of Panasonic ECOi, PACi, ECOg / PAC, VRF systems from a BMS, SCADA, PLC, or any other device working as a BACnet/IP server or a BACnet MS/TP client. The solution allowed the integration of up to 128 indoor units from a single interface. Please refer to the new product reference for further details.



Replaced by: IN771PAN00LO000

Features and benefits

Panasonic ECOi, PACi, ECOg / PAC, VRF systems to BACnet IP Server gateway



General

Net Width (mm)	88
Net Height (mm)	90
Net Depth (mm)	58
Net Weight (g)	194
Packed Width (mm)	125
Packed Height (mm)	85
Packed Depth (mm)	140
Packed Weight (g)	356
Operating Temperature °C Min	0°
Operating Temperature °C Max	60°
Warranty (years)	3 years

Identification and Status

Product ID	INBACPAN128O000
Successor	IN771AIR00LO000_BAC_PAN
Country of Origin	Spain
HS Code	8517620000
Dual Usage	No

Physical Features

Contains Battery	Yes
------------------	-----

Panasonic ECOi, PACi, ECOg / PAC, VRF systems to BACnet IP Server gateway



Use Case

Panasonic

ASHRAE **BACnet**™ BTL

