

Fujitsu RAC and VRF systems to AC Cloud Control (Wi-Fi) Interface (to CN connector)

Item number: INWFIFGL001I000

The AC Cloud Control device for Fujitsu allowed a complete and natural integration of Fujitsu RAC and VRF systems into the AC Cloud Control system, using a direct connection via the CN port for professional HVAC control and monitoring through a native Android/iOS app or a web dashboard. Please refer to the new product reference for further details.



Replaced by: INWFIFGL001I100

Features and benefits

Fujitsu RAC and VRF systems to AC Cloud Control (Wi-Fi) Interface (to CN connector)



General

Capacity	1 indoor unit
Net Width (mm)	34
Net Height (mm)	54
Net Depth (mm)	12
Net Weight (g)	100
Packed Width (mm)	133
Packed Height (mm)	35
Packed Depth (mm)	135
Packed Weight (g)	120
Operating Temperature °C Min	0°
Operating Temperature °C Max	60°
Input Voltage (V)	From the AC unit.
Installation Conditions	Install this gateway inside the indoor unit or inside a connection box to protect it from electrostatic discharge.
Content of Delivery	Intesis gateway and installation manual.
Mounting	Wall mount
Housing Materials	Plastic
Warranty (years)	3 years
Packaging Material	Cardboard

Identification and Status

Product ID	INWFIFGL001I000
------------	-----------------

Fujitsu RAC and VRF systems to AC Cloud Control (Wi-Fi) Interface (to CN connector)



Identification and Status

Successor	INWFIFGL001I100
Country of Origin	Spain
HS Code	8517620000
Dual Usage	No

Physical Features

Contains Battery	No
------------------	----

Certifications and Standards

Product Certifications	CE, CB, UL
WEEE Category	IT and telecommunications equipment

Fujitsu RAC and VRF systems to AC Cloud Control (Wi-Fi) Interface (to CN connector)



Use Case



Integration example.