

Daikin VRV and Sky systems to AC Cloud Control (Wi-Fi) Interface

Item number: INWFIDAI001R000

The AC Cloud Control device for Daikin allowed a complete and natural integration of VRV and Sky systems into the AC Cloud Control for professional HVAC control and monitoring through a native Android/iOS app or a web dashboard. Please refer to the new product reference for further details.

Replaced by: INWFIDAI001R100



Features and benefits

Daikin VRV and Sky systems to AC Cloud Control (Wi-Fi) Interface



General

Capacity	1 indoor unit
Net Width (mm)	100
Net Height (mm)	70
Net Depth (mm)	28
Net Weight (g)	100
Packed Width (mm)	133
Packed Height (mm)	35
Packed Depth (mm)	135
Packed Weight (g)	120
Operating Temperature °C Min	0°
Operating Temperature °C Max	60°
Input Voltage (V)	From the AC unit.
Installation Conditions	Install this gateway inside the indoor unit or inside a connection box to protect it from electrostatic discharge.
Content of Delivery	Intesis gateway and installation manual.
Mounting	Wall mount
Housing Materials	Plastic
Packaging Material	Cardboard
Warranty (years)	3 years

Identification and Status

Product ID	INWFIDAI001R000
------------	-----------------

Daikin VRV and Sky systems to AC Cloud Control (Wi-Fi) Interface



Identification and Status

Successor	INWFIDAI001R100
HS Code	8517620000
Dual Usage	No

Physical Features

Contains Battery	No
------------------	----

Certifications and Standards

Product Certifications	CE, CB, UL
WEEE Category	IT and telecommunications equipment



Use Case



Integration example.