



Anybus PoE injector 12-57VDC

Item number: AWB4006-B

The Anybus Power over Ethernet Injector (PoE) makes it possible to supply an Anybus product, for example an Anybus WLAN Access point or Anybus Wireless Bolt RJ45, with power through an Ethernet cable.



Power your Anybus device through a single Ethernet cable

Features and benefits

- ✔ **Supports PoE**
Removes the need for an additional power cable.
- ✔ **Industrial grade**
2-port Gigabit High Power injector with a rigid IP30 metal enclosure.
- ✔ **Flexible mounting**
DIN-Rail and Wall Mount Design

Anybus PoE injector 12-57VDC



General

Net Weight (g)	500
Packed Width (mm)	15
Packed Height (mm)	5
Packed Depth (mm)	20
Packed Weight (g)	515
Operating Temperature °C Min	-20°C
Operating Temperature °C Max	70°C
Storage Temperature °C Min	-40°C
Storage Temperature °C Max	80°C
Input Voltage (V)	12-57 VDC
Output Voltage	50 VDC
Power Connector	Other
Housing Materials	Metal Housing
Packaging Material	Cardboard
Warranty (years)	3 years

Identification and Status

Product ID	AWB4006-B
Country of Origin	Taiwan (Province of China)
HS Code	8517620000
Export Control Classification Number (ECCN)	5A992.c

Anybus PoE injector 12-57VDC



Identification and Status

Supply Risk Factor ERP	Volume not defined yet
Purchasing Multiple ERP	50

Certifications and Standards

Protection Class IP	IP30
---------------------	------